



SPEEDY 4you

Active easy running rigid frame wheelchair

Maximum user weight limit 120 kg

A9016103000 € 5,150.00

Quotation date: _____
Consultation was carried out by
Staff at the medical supplies shop: _____

Enquiry no.: _____

Order date: _____
 according to GTC PRO ACTIV Reha-Technik GmbH

Order no.: _____

Medical suppliers / company address:

Cust. no.: _____
Name: _____
Street: _____
Postcode / city: _____
Phone: _____
Fax: _____
E-Mail: _____
Contact: _____

Shipping address: same as company address
 Other (see below)

Name: _____
Street: _____
Postcode / city: _____


Customer name / commission:

ID / Comm. No.: _____
Surname, forename: _____
Street: _____
Postcode / city: _____
Phone: _____
Fax: _____
E-Mail: _____
D.o.B.: _____
Paying organisation: _____

Invoicing address: same as company address
 Other (see below)

Cust. no.: _____
Name: _____
Street: _____
Postcode / city: _____
Phone: _____
Fax: _____
E-Mail: _____
Contact: _____


Body size:



Body height: _____ cm
Weight: _____ kg
Lower leg length: _____ cm
 (anatomic dimension: hollow of the knee to the foot sole)
Indication: _____

This information is necessary for checking. If the information is missing, a check of the relevant items cannot be made!

Basic size



Wheelchair dimensions:

- | | |
|--|---|
| <p>A: SB Seat width _____ cm
(SB min. 30 cm - max. 52 cm)</p> <p>B: ST Seat depth _____ cm
(ST min. 36 cm - max. 54 cm)</p> <p>C: RH Back height _____ cm
(from 23 cm)</p> <p>D: USL Lower leg length _____ cm</p> <p>E: SHh Seat height back _____ cm
(SHh min. 39 cm - max. 47 cm)
(with 24" drive wheels)</p> <p>F: SHv Seat height front _____ cm
(SHv min. 42 cm - max. 54 cm)
(with 5" caster wheels)</p> <p>G: KP Tipping point _____ cm
(inner edge of rear tube to centre of drive wheel axle)</p> | <p>H: Frame length to the front _____ cm
frame bend
(min. ST - 1 cm)</p> <p>I: Start frame retraction _____ cm
(possible from ST 34 cm)
(H - min. 6 cm)</p> <p>J: KW Knee angle _____ °
(recommended > 90°)</p> <p style="text-align: center;">or</p> <p>J1: Angle of the front _____ °
Framework tube to vertical
(recommended > 10°)</p> <p>K: Position of the steering _____ cm
wheel bearing block
(min. 35 cm, recommended > 40 cm,
generally as large as possible,
taking into account the steering
wheel turning circle and heel space)</p> <p>M: Lower leg width top _____ cm</p> <p>N: Lower leg width at the _____ cm
bottom</p> |
|--|---|

The dimensional tolerances according to DIN EN ISO 13920 apply to the design (dimensions in mm)

Accuracy level	up to 30	over 30 to 120	over 120 to 400	over 400 to 1000
C	+/- 1	+/- 3	+/- 4	+/- 6

Frame colour - One-colour design

Information on current colour designs and example images can be found at: <https://www.proactiv-gmbh.com/colours/>

Frame colour: Selection from colour palette

Frame colour will be specified in the order

A9000100170-000

Raw, blasted, not coated

A9000100170-020

Note: In combination with moisture e.g. hand perspiration, can affect dark aluminum discoloration.

Powder colours

white RAL 9016

gloss A9000100170-023

matt A9000100170-123 € 43.40

brilliant silver

gloss A9000100170-011

anthracite RAL 7016

gloss A9000100170-001

matt A9000100170-101 € 43.40

black RAL 9005

gloss A9000100170-003

matt A9000100170-019 € 43.40

pure orange RAL 2004

gloss A9000100170-022

matt A9000100170-122 € 43.40

pink magenta RAL 4010

gloss A9000100170-037

matt A9000100170-137 € 43.40

pastel blue RAL 5024

gloss A9000100170-036

matt A9000100170-136 € 43.40

lemon green

gloss A9000100170-005

matt A9000100170-105 € 43.40

yellow RAL 1023

gloss A9000100170-046

matt A9000100170-146 € 43.40

red RAL 3001

gloss A9000100170-047

matt A9000100170-147 € 43.40

lagoon blue

gloss A9000100170-052

matt A9000100170-152 € 43.40

athletic grey RAL 7046

gloss A9000100170-050

matt A9000100170-150 € 43.40

muddy grey RAL 7033

gloss A9000100170-051

matt A9000100170-151 € 43.40

peach RAL 3022

gloss A9000100170-038

matt A9000100170-138 € 43.40

Powder colours „dormant“

deep black effect silver

gloss A9000100170-007

sky blue

gloss A9000100170-017

navy blue

gloss A9000100170-045

matt A9000100170-145 € 43.40

electric green

gloss A9000100170-015

matt A9000100170-115 € 43.40

violet

gloss A9000100170-044

fire red

gloss A9000100170-018

matt A9000100170-118 € 43.40

Frame colour - One-colour design special colours „liquid coating“

€ 349.60

storm (ice blue)

gloss A9000100170-500

matt A9000100170-501

prairie (rose gold)

gloss A9000100170-504

matt A9000100170-505

berry

gloss A9000100170-526

matt A9000100170-527

blue ocean

gloss A9000100170-522

matt A9000100170-523

emerald

gloss A9000100170-514

matt A9000100170-515

chili

gloss A9000100170-516

matt A9000100170-517

Frame colour - Two-colour design

Note: In the two-colour design, both colours are the same gloss level as the design colour.

- Two-colour design with one base colour (on the rear frame) and one design colour (on the front frame)** € 268.50

Please select a colour below:

Base colour (on the rear frame)

white RAL 9016 <input type="checkbox"/> A9000100170-200	brilliant silver <input type="checkbox"/> A9000100170-201	anthracite RAL 7016 <input type="checkbox"/> A9000100170-202
black RAL 9005 <input type="checkbox"/> A9000100170-203	pastel blue RAL 5024 <input type="checkbox"/> A9000100170-206	lemon green <input type="checkbox"/> A9000100170-207
yellow RAL 1023 <input type="checkbox"/> A9000100170-208	lagoon blue <input type="checkbox"/> A9000100170-212	athletic grey RAL 7046 <input type="checkbox"/> A9000100170-210
muddy grey RAL 7033 <input type="checkbox"/> A9000100170-211		

Design colour (on the front frame)

black RAL 9005 <input type="checkbox"/> gloss A9000100170-259 <input type="checkbox"/> matt A9000100170-260	lemon green <input type="checkbox"/> gloss A9000100170-250 <input type="checkbox"/> matt A9000100170-251	chili <input type="checkbox"/> gloss A9000100170-253 <input type="checkbox"/> matt A9000100170-254
pure orange RAL 2004 <input type="checkbox"/> gloss A9000100170-255 <input type="checkbox"/> matt A9000100170-256	emerald <input type="checkbox"/> gloss A9000100170-274 <input type="checkbox"/> matt A9000100170-275	storm (ice blue) <input type="checkbox"/> gloss A9000100170-264 <input type="checkbox"/> matt A9000100170-265
prairie (rose gold) <input type="checkbox"/> gloss A9000100170-266 <input type="checkbox"/> matt A9000100170-267	berry <input type="checkbox"/> gloss A9000100170-284 <input type="checkbox"/> matt A9000100170-285	blue ocean <input type="checkbox"/> gloss A9000100170-280 <input type="checkbox"/> matt A9000100170-281

Colour - Attachment parts

Note: If not specified, the caster fork and bearing block will be mounted in black.

Drive wheel: aluminum rim, hub and spokes

- Black A9000100171-003

Caster fork and bearing block

- Silver A9000100173-011
 Black A9000100173-003

Colour design of attachment parts according to customer request:

Drive wheel: aluminum rim and design inlet¹ according to colour selection / hub and spokes black

- frame colour A9000100171-999 € 249.60
 Selection from one-colour design (different from the frame colour) A9000100171-998 € 288.90
Colour: _____
A9000100170-

Caster wheel: 5" aluminum rim² (6-spoke design)

- frame colour A9000100174-999 € 75.20
 Selection from one-colour design (different from the frame colour) A9000100174-998 € 87.10
Colour: _____
A9000100170-

Special colour request (Frame colour - One-colour design)

Frame colour for single purchasing Selection from RAL colour palette	gloss level	colour designation	RAL number
<input type="checkbox"/> A9000100170-100 € 414.40	<input type="checkbox"/> gloss <input type="checkbox"/> matt	_____	_____

Note: Attachments **not** available in design colour options

¹ Only in combination with Liteline hub

² Only in combination with caster wheel 5" aluminum rim 6-spoke-design good shock absorption A900050121*, as well as with suspension fork 5-spoke-design A9000500160*

Back tubes & push handles

Equipment without push handles

A9000401000



Back tube with integrated handles

A9000401051-K € 130.40
straight.



Aluminium push handles fixed in back tube

A9000401050* € 130.40
from RH 23 cm



Horizontal push handles screwed into the back tube

A9000401076 € 130.40
can be unscrewed



Safety push handles with continuous height adjustment

A9000401060* € 216.40
mount in the back tube
from RH 30 cm with adaptable back
from RH 35 cm with lordosis support
from RH 43 cm with ergonomic backshell



Safety push handles back-positioned length 45 cm

A9000401075* € 372.90
continuous height adjustment,
Safety push handle holder mounted on the
back cross bar
not in combination with swing-away armrest



Additional option

Back tube with lordosis support

A9000400005-K € 114.40

- 1 cm
- 2 cm
- 3 cm



Backrest

If not specified, the „folding backrest“ will be delivered.

Folding backrest

A9000400011
7-way angle adjustable,
with integrated plastic-coated aluminum side
parts



Backrest folding function blocked

A9000400035
Locking bolt for angle adjustment replaced by
screw connection.
Back angle 90° to the floor.



Fixed backrest

A9000400020 € 99.10
screwed to aluminium side parts
Back angle 90° to the floor
Backrest cannot fold down

Back equipment

If not specified, the „Adaptable back with back padding“ will be delivered.

Adaptable back with back padding

A9000802010-K001
Cover: Black, breathable, open surface
Equipment with back cross bar



Adaptable back with back padding „light“

A9000802320-K001
Cover: Black, breathable, open surface
Cushion thickness: 9 mm
Equipment with back cross bar

A9000802320-K002
Cover: Black, breathable, open surface
Cushion thickness: 9 mm
Equipment without back cross bar



Adaptable back with back padding „Comfort“

A9000815101-K € 131.40
Cover: Black, breathable, open surface
Front padding: 20 mm
Rear padding: 5 mm
Equipment with back cross bar


<p>Back rise + 3 - 5 cm</p> <p><input type="checkbox"/> A9000802100 € 159.10</p> <p>for the nominal back height dimension Only in combination with height-adjustable push handles</p> 	<p>Equipment without back upholstery and back padding or back system</p> <p><input type="checkbox"/> A9000802011 € - 53.00</p> <p>Equipment with back cross bar</p>	
--	---	--

Seat upholstery

If not specified, the „Body Contour“ seat upholstery will be delivered.


Body Contour

A9000801025-K
approved up to a body weight of 120 kg



Open belt system

A9000801010-K € 79.90




Equipment without seat upholstery

A9000801050




Seat cushion



Seat cushion for individual frame geometry in rectangular contour
Inlet: Standard

A9000805190-K € 164.40



Seat cushion for individual frame geometry with radius contour
Inlet: Standard

A9000805320-K € 206.10

Seat cushion height:

3 cm 5 cm
 4 cm 6 cm

Seat cushion for individual frame geometry in rectangular contour
Inlet: Anti-Decubitus

A9000805210-K € 484.40

Seat cushion for individual frame geometry with radius contour
Inlet: Anti-Decubitus

A9000805310-K € 528.70

Seat cushion height:

4 cm 6 cm

Cover:

- Black, breathable, open surface
- Black, breathable, closed surface

If not specified, the cover material „Black, breathable, open surface“ will be delivered.

Seat cushion is provided

Clothing guard

Aluminum clothing guard removable via lock function

Adjustable following wheel arch
Only in combination with folding backrest



in anthracite matt

A9000403210-K € 243.20

in frame colour (base colour for two-colour design)

A9000403211-K € 311.10

in design colour (only possible with frame colour in two-colour design)

A9000403212-K € 345.10

Carbon clothing guard removable via lock function

A9000400012-K € 547.30

Adjustable following wheel arch
Only in combination with folding backrest



Armrests

Armrest, height adjustable, integrated in the clothing guard

Including aluminum clothing guard
with arm padding 25 cm long
Removable via lock function
Only in combination with folding backrest

in anthracite matt

A9000400008-K € 569.60

in frame colour (base colour for two-colour design)

A9000400009-K € 621.90



in design colour (only possible with frame colour in two-colour design)

A9000400010-K € 648.10

Armrest, height adjustable, integrated in the clothing guard

A9000400018-K € 862.00

Including carbon clothing guard
with arm padding 25 cm long
Removable via lock function
Only in combination with folding backrest

Armrests folding up, removable

A9000403141-K € 358.50

with arm padding 25 cm long
Positioning: upper arm padding edge approx. 25 cm to 31 cm above the seat tube, adjustable in 1.5 cm steps
Not possible in combination with back-positioned safety push handles




Axle plate

Standard equipment with 12 mm sockets / axles


Standard axle plate

A9016201000
Rear seat height approx. 39 cm - 43 cm
(for 24" wheel)



Long axle plate

A9016201020 € 234.70
Rear seat height approx. 43 cm - 47 cm
(for 24" wheel)



Wheel camber

*Total width with tight-mounted handrim.

1° drive wheel camber

A9016202010
Total width = approx. SB + 20 cm*

4° drive wheel camber

A9016202030
Total width = approx. SB + 26 cm*

6° drive wheel camber

A9016202040
Total width = approx. SB + 30 cm*

E-Adaptations

Preparation for the „e-motion“ / „e-motion DuoDrive“ mounting

A9016201200-K € 502.90

Equipment: e-motion torque arm, 1/2" axle and socket length 50.8 mm (2")
PRO ACTIV and Alber recommend mounting two anti-tipping supports. Please select under „Adaptations“.

Preparation for the „e-fix“ mounting

A9016201210-K € 502.90

Equipment: 1/2" axle, socket length 50.8 mm (2") and e-fix torque support.
PRO ACTIV and Alber recommend mounting two anti-tipping supports. Please select under „Adaptations“.
Please order Alber anti-tipping supports and corresponding components direct from Alber.

Brake system

If not specified, the „Brake system push to lock with standard brake handle" will be delivered.

Recommendation: For KP 7 cm or lower, we recommend the „Brake system push to lock with brake handle 20° outwards“.

Knee lever brake with standard brake lever

A9000701010-001



Knee lever brake with long brake lever

A9000701010-002



Knee lever brake with low brake lever

A9000701010-003



Knee lever brake system Brake lever angled 20°

standard brake handle A9000700002

long brake handle A9000701010-004



Brake system push to lock Brake handle to flip-down

A9000706008 **€ 158.60**
length: 9 cm



Drum brake

A9000702010-K* **€ 474.00**

Operating from the push handle
Total wheelchair width (see selection „Wheel camber“) + 3 cm
Depending on the seat height, the long wheel plate is mounted in order to protect the drum brake anchors.

Please note:

- Only in combination with drive wheel aluminum 36-spoke rim wheel
- Not in combination with one-hand drive, e-fix or e-motion



Footrest

If not specified, the „continuous footrest" will be delivered.

Continuous footrest

A9016601010-K*
with tubular resting bracket
height adjustable +/- 3 cm
for KW 95° from USL 34 cm
for KW 105° from USL 39 cm
If you want to equip the footrest with a „rubber coated footplate" please select this under „Footrest accessories“.



Footrest folding up to one side

A9016601300-K* **€ 173.90**
with tubular resting bracket
height adjustable +/- 3 cm
can be swung away,
cannot be removed
for KW 95° from USL 37 cm
for KW 105° from USL 42 cm
V-shape from SB 40 cm
If you want to equip the footrest with a „rubber coated footplate" please select this under „Footrest accessories“.



Footrest folds up to the rear with spring locking mechanism

A9016602005-K* **€ 287.40**
with tubular resting bracket
for KW 95° from USL 38 cm
for KW 105° from USL 42 cm
If you want to equip the footrest with a „rubber coated footplate" please select this under „Footrest accessories“.



Footrest folds up to the rear

A9016602010-K* **€ 307.90**
with tubular resting bracket and 20 mm operating lever
for KW 95° from USL 38 cm
for KW 105° from USL 42 cm
straight front end from SB 33 cm
V-shape from SB 38 cm
Support width from 20 cm
If you want to equip the footrest with a „rubber coated footplate" please select this under „Footrest accessories“.



Divided footrest

A9016603200-K **€ 336.80**
with rubber coated footplate,
height adjustable +/- 3 cm, angle adjustment,
can be pivoted outwards and folded up to the side
Including frame reinforcement
for KW 95° from USL 37 cm
for KW 105° from USL 42 cm
V-shape from SB 40 cm



„Swing Away" footrest

A9016604100-K **€ 404.70**
with rubber coated footplate,
separated in the middle,
can be folded to the side, removable,
can be folded up, height-adjustable,
angle-adjustable
Including frame reinforcement
from USL 34 cm



Footrest accessories

Rubber coated footplate

- A9000610000-K € 125.90
bolted, angle-adjustable
Depth: 14 cm



Footplate side stop

- A9000610100 € 59.70
adjustable
only in combination with rubber coated footplate



Adaptations

Anti-tipping support

- right side
A9000300100-K001 € 169.10

- left side
A9000300100-K002 € 169.10

with tension spring and universal adapter
pivotable
For optimum pivoting behaviour the
seat slope should be > 3 cm



Preparation for mounting the anti-tipping support with lifting function from Alber (e-fix, e-motion)

- A9016300105 € 296.70

Universal adapter is prepared for mounting the
anti-tipping support with lifting function from
Alber.
Supplied without anti-tipping support and
anti-tipping support mount.
On the customer side, please order this from
Alber



Transit wheels

- right side
A9000301100-003 € 164.80

- left side
A9000301100-004 € 164.80

with universal adapter, removable
not in combination with anti-tipping support,
right side or left side



Tilting clamp

- right side
A9000302100-K001 € 140.10

- left side
A9000302100-K002 € 140.10

with universal adapter and Quick pin
not in combination with anti-tipping support,
right side or left side



Removable wheelbase extension SPEEDY 4all / 4you

- A9016102001 € 581.30

wheel position displacement approx. 14 cm
adjustable track

Please select the wheel camber:

- 1° drive wheel camber
 4° drive wheel camber
 6° drive wheel camber

Note: The camber of the wheelbase extension
cannot be less than in the everyday position.
A max. camber of 6° is possible.

If not specified, the next higher wheel camber
will be mounted than in the everyday position.



3" caster wheel

3" skate wheel (80 mm)

- A9000501110 € 70.80
puncture-proof



4" caster wheel

4" caster wheel „Standard“ solid rubber black

A9000501011-004
(82A), puncture-proof



4" skate wheel (100 mm)

A9000501120 € 70.80
puncture-proof



4" safety light-up wheel (100 mm)

A9000501220 € 94.80
puncture-proof



4" CorMORun caster wheel (100 mm)

A9000501042 € 173.00
with replaceable rubber 6 mm,
puncture-proof
Rim colour: Black
Incl. hair guard spacer (5.3 mm)



4" Frog Legs caster wheel (100 mm)

A9000501230 € 206.30
with replaceable rubber 6 mm,
puncture-proof
Colour: black, silver rim
Incl. hair guard spacer (5.3 mm)



5" caster wheel

5" caster wheel „Standard“ PU black

A9000501036-005
(82A), puncture-proof



5" caster wheel „Standard“ PU grey

A9000501031-005
(82A), puncture-proof



5" safety light-up wheel (125 mm)

A9000501221 € 94.80
puncture-proof



5" aluminum rim 3-spoke design „good shock absorption“

silver anodised A9000501210 € 179.80
 black A9000501211 € 179.80
with replaceable rubber 6 mm
medium hard, puncture-proof
Incl. hair guard spacer (3 mm)



5" CorMORun caster wheel (125 mm)

A9000501041 € 181.30
with replaceable rubber 6 mm,
puncture-proof
Rim colour: Black
Incl. hair guard spacer (5.3 mm)



5" Frog Legs caster wheel (125 mm)

A9000501232 € 206.30
with replaceable rubber 6 mm,
puncture-proof
Colour: black, silver rim
Incl. hair guard spacer (5.3 mm)



6" caster wheel

6" caster wheel „Standard“ PU grey

A9000501010-006
(82A), puncture-proof



6" caster wheel „pneumatic tyre“

A9000501050 € 57.20



6" caster wheel „Flexel-System“

A9000501070 € 57.20
puncture-proof



Caster fork

For caster fork colours, see „Colour of add-on parts“
If not specified, the „Standard caster fork with screw axle“ will be delivered.

Caster fork Standard

- A9000500100-K001
with screwed axle
- A9000500100-K002 € 167.40
with quick-release axle



Caster fork Heavy Duty for high loads

- Extra weight approx. 100 - 150 gr.
- A9000510111-K001 € 54.00
with screwed axle
- A9000510111-K002 € 218.90
with quick-release axle



Suspension fork

- inkl. 5" aluminum rim „good shock absorption“
- A9000500160-K002 € 616.90
with quick-release axle



Caster fork spare wheel „Standard“

- A9000500300-K € 296.70
Caster fork Standard with quick-release axles



Caster fork spare wheel „Heavy Duty“

- A9000500301-K € 337.90
Caster fork Heavy Duty with quick-release axles



The spare caster fork does not have a caster wheel.
In case a caster wheel is requested, please put a cross on a second selection in the category „Caster wheels“.

Track distance

Caster wheel track extension



- A9000500400* € 59.10 10 mm per side
- A9000500401* € 59.10 15 mm per side
- A9000500410* € 59.10 20 mm per side

Drive wheels

If not specified, the „drive wheel 36 spoke aluminum rim“ will be delivered.

Drive wheel 18 spoke aluminum rim

- 24" (ETRTO 540)
A9000203122
with Liteline hub, radially spoked
Not in combination with:
- Puncture-proof tires
- One-hand drive
- Drum brake
- Transport restraint connection
- Handbike
up to 70 kg body weight:

Sturz \ Gewicht	1°	4°	6°	8°	10°
bis 50 Kg	✓	✓	✓	✓	✓
51 - 60 Kg	✓	✓	✓	✓	
61 - 70 Kg	✓	✓			



Drive wheel 36 spoke aluminum rim

- 24" (ETRTO 540)
A9000203000-010
with Liteline hub (left image),
radially spoked
up to 120 kg body weight
- 24" (ETRTO 540)
A9000203000-020
with aluminum front hub (right image),
radially spoked
over 120 kg body weight



Drive wheel double rim 36-spokes


- 24" (ETRTO 540)
A9000203100 € 157.80
- 25" (ETRTO 559)
A9000203200 € 157.80
- 26" (ETRTO 590)
A9000203300 € 157.80
with aluminum front hub,
radially spoked
For use with high loads and body weight
>120 kg



<p>Spinergy wheel „Spox Sport“ with 24 PBO spokes; rim, hub and spokes in black</p> <p><input type="checkbox"/> 24" (ETRTO 540) A9000203550 € 784.10</p> <p><input type="checkbox"/> 25" (ETRTO 559) A9000201559 € 784.10</p> <p><input type="checkbox"/> 26" (ETRTO 590) A9000203555 € 784.10</p> 	<p>Spinergy „Everyday Light Extreme“ with 12 PBO spokes; rim and hub in black, spokes in white</p> <p><input type="checkbox"/> 24" (ETRTO 540) A9000203554 € 957.20</p> <p>Recommendation: For heavy loads (e.g. higher body weight), we recommend the Spinergy „Spox Sport“ wheel with 24 PBO spokes.</p> 	<p>Spinergy „Everyday Light Extreme“ with 12 PBO spokes; rim, hub and spokes in black</p> <p><input type="checkbox"/> 24" (ETRTO 540) A9000203552 € 957.20</p> <p>Recommendation: For heavy loads (e.g. higher body weight), we recommend the Spinergy „Spox Sport“ wheel with 24 PBO spokes.</p> 
---	---	--

Handrims

x = dimension handrim attachment



Handrim attachment general:

- x = 11 mm
- x = 19 mm

Handrim attachment

Curve + Gekko handrim:

- x = 10 mm
- x = 18 mm

If not specified, the handrim is mounted wide (19 mm / 18 mm).

<p>Stainless steel Ø 20 mm</p> <p><input type="checkbox"/> 24" handrim for 24" wheel and 25" wheel A9000205010-004</p> <p><input type="checkbox"/> 26" handrim for 26" wheel A9000205010-006</p> 	<p>Aluminum Ø 19 mm silver anodised</p> <p><input type="checkbox"/> 24" handrim for 24" wheel and 25" wheel A9000205019-004</p> 	<p>Aluminum Ø 19 mm powder coated in frame colour (basic colour with two-colour design)</p> <p><input type="checkbox"/> = Gloss surface <input type="checkbox"/> = Matt surface</p> <p>Note: Matt coating is not recommended due to the low grip.</p> <p><input type="checkbox"/> 24" handrim for 24" wheel and 25" wheel € 68.30 A9000205020-004</p> <p><input type="checkbox"/> 26" handrim for 26" wheel € 68.30 A9000205020-006</p> 
<p>Aluminum Ø 19 mm polished and hard-anodised</p> <p><input type="checkbox"/> 24" handrim for 24" wheel and 25" wheel € 164.90 A9000205030-004</p> <p><input type="checkbox"/> 26" handrim for 26" wheel € 164.90 A9000205030-006</p> 	<p>Titanium Ø 19 mm</p> <p><input type="checkbox"/> 24" handrim for 24" wheel and 25" wheel € 335.60 A9000205040-004</p> <p><input type="checkbox"/> 26" handrim for 26" wheel € 335.60 A9000205040-006</p> 	<p>Silicone handrim cover</p> <p><input type="checkbox"/> for handrim 24" A9000205100-004 € 232.80</p> <p><input type="checkbox"/> for handrim 26" A9000205100-006 € 232.80</p> <p>Surface without structure, compatible with handrim Ø 19 mm or Ø 20 mm.</p> 

<p>Ultra-Grip „very grippy“</p> <p><input type="checkbox"/> 24" handrim for 24" wheel and 25" wheel € 402.40 A9000205070-004</p> <p><input type="checkbox"/> 26" handrim for 26" wheel € 402.40 A9000205070-006</p> 	<p>Ergo-Grip</p> <p><input type="checkbox"/> 24" handrim for 24" wheel and 25" wheel € 402.40 A9000205080-004</p> <p><input type="checkbox"/> 26" handrim for 26" wheel € 402.40 A9000205080-006</p> <p>Attachment fitting to the rim</p> <p>Note: Due to the complex geometry, concentricity deviations of +/- 2-3 mm are possible.</p> 	<p>Curve black anodised, ergonomic handrim profile</p> <p><input type="checkbox"/> 24" handrim for 24" wheel and 25" wheel Profile height 24 mm € 402.40 A9000205130-004</p> <p><input type="checkbox"/> 24" handrim for 24" wheel and 25" wheel Profile height 31 mm Size L € 402.40 A9000205140-004</p> <p><input type="checkbox"/> 26" handrim for 26" wheel Profile height 31 mm Size L € 402.40 A9000205140-006</p> 
<p>Curve silver anodised ergonomic handrim profile</p> <p><input type="checkbox"/> 24" handrim for 24" wheel and 25" wheel Profile height 31 mm Size L € 402.40 A9000205160-004</p> 	<p>Curve powder-coated, ergonomic handrim profile</p> <p><input type="checkbox"/> = frame colour (gloss surface) <input type="checkbox"/> = black (gloss surface)</p> <p><input type="checkbox"/> 24" handrim for 24" wheel and 25" wheel Profile height 24 mm € 467.60 A9000205135-004</p> <p><input type="checkbox"/> 24" handrim for 24" wheel and 25" wheel Profile height 31 mm Size L € 467.60 A9000205145-004</p> <p><input type="checkbox"/> 26" handrim for 26" wheel Profile height 31 mm Size L € 467.60 A9000205145-006</p> 	<p>Curve Grip, with Tetra-Grip coating, ergonomic handrim profile</p> <p><input type="checkbox"/> 24" handrim for 24" wheel and 25" wheel Profile height 31 mm Size L € 520.70 A9000205150-004</p> 
<p>Quadro with Tetra-Grip coating</p> <p><input type="checkbox"/> 24" handrim for 24" wheel and 25" wheel € 520.70 A9000205170-004</p> <p><input type="checkbox"/> 25" handrim for 25" wheel € 520.70 A9000205170-005</p> <p><input type="checkbox"/> 26" handrim for 26" wheel € 520.70 A9000205170-006</p> 	<p>Gekko black anodised</p> <p><input type="checkbox"/> 24" handrim for 24" wheel and 25" wheel € 520.70 A9000205175-004</p> <p><input type="checkbox"/> 25" handrim for 25" wheel € 520.70 A9000205175-005</p> <p><input type="checkbox"/> 26" handrim for 26" wheel € 520.70 A9000205175-006</p> <p>with a robust and replaceable silicone lip, fully integrated into the profile Profile height 31 mm</p> 	<p>Gekko silver anodised</p> <p><input type="checkbox"/> 24" handrim for 24" wheel and 25" wheel € 520.70 A9000205185-004</p> <p>with a robust and replaceable silicone lip, fully integrated into the profile Profile height 31 mm</p> 

Gekko S black anodised

- 24" handrim for 24" wheel and 25" wheel **€ 520.70**
A9000205195-004

with a robust and replaceable silicone lip, fully integrated into the profile
Profile height 24 mm



Equipment without handrims

- A9000205990

Spoke guard

Finger- and spoke guard „transparent“

- for 24" wheel **€ 207.10**
A9000206300-004

- for 26" wheel **€ 207.10**
A9000206300-006

not in combination with Spinergy drive wheels.



Tyres

If not specified, the „Schwalbe RightRun in black“ tyres will be delivered.

Schwalbe „RightRun“ High-pressure tyres

- 24x1" (540-25)
A9000204001-004

Colour: Black
7.5 bar



Schwalbe „RightRun“ High-pressure tyres

- 24x1" (540-25)
A9000204000-004

- 25x1" (559-25)
A9000204000-005

- 26x1" (590-25)
A9000204000-006

Colour: Grey, black wall
7.5 bar



Schwalbe „DownTown“ Profiled tyres

- 24x1" (540-25)
A9000204010-004
7.5 bar



Schwalbe „Marathon Plus Evolution“ with „smart guard“ puncture protection

- 24x1" (540-25) **€ 49.20**
A9000204030-014

- 25x1" (559-25) **€ 49.20**
A9000204030-015

- 26x1" (590-25) **€ 49.20**
A9000204030-016

Colour: Black
10 bar



Schwalbe „Marathon Plus“ with „smart guard“ puncture protection

- 24x1" (540-25) **€ 49.20**
A9000204030-004

Colour: Grey, black wall
10 bar



Schwalbe „One“


- 24x1" (540-25) **€ 93.00**
A9000204123-004

Colour: Black
9 bar



<p>Puncture-proof „solid rubber tyres”</p> <p><input type="checkbox"/> 24x1" (540-25) € 122.70 A9000204201-004 Colour: Black not in combination with Spinergy drive wheels.</p> 	
--	--

Accessories

<p>24" MTB spare wheel set</p> <p>with double rim (ETRTO 507), aluminum front hub, quick-release axle and stainless steel handrim Mountain bike tyres, selectively:</p>		
<p><input type="checkbox"/> A9000203410 € 703.40 24x1.75" Schwalbe "Marathon Plus" Brake setting compatible with 24x1" wheel</p> 	<p><input type="checkbox"/> A9000203413 € 703.40 24x2.1" Schwalbe "SMART SAM Sport" Brake setting not compatible with 24x1" wheel</p> 	<p>NOTE: We charge a surcharge for the use of drum brakes</p> <p><input type="checkbox"/> A9000200004 € 232.20</p>
<p>Through axle with assistance, Large push button</p> <p><input type="checkbox"/> A9000200096 € 105.80 Interlock dimension: 122 / 110 mm Axle diameter: 12 mm Not in combination with one-hand drive</p> 	<p>Hand air compressor with pressure gauge</p> <p><input type="checkbox"/> A9000901100 € 106.30 up to 14 bar</p> 	<p>Crutch holder with flexible nylon cup</p> <p><input type="checkbox"/> A9000902310* € 137.40</p> 
<p>Length-adjustable safety belt with buckle</p> <p><input type="checkbox"/> A9000902100 € 80.60</p> 	<p>Adjustable safety belt with hook and fastener</p> <p><input type="checkbox"/> A9000902110 € 64.50</p> 	<p>SIGMA lighting set</p> <p><input type="checkbox"/> A9000903270 € 107.90 Consisting of front light and rear lights, chargeable via Micro USB socket, incl. Micro USB charging cable Lighting set compliant with road traffic regulations</p> 
<p>Transport bag for drive wheels</p> <p><input type="checkbox"/> for 24" wheel A9000903530-004 € 77.80 Ø 76 cm x 2 cm</p> <p><input type="checkbox"/> for 26" wheel A9000903530-006 € 77.80 Ø 83 cm x 2 cm</p> 		

Separate order sheets

Category „Rehabilitation technology accessories”

e.g. Seat & backrest systems, one-hand drive or transport restraint systems can be found at:
www.proactiv-gmbh.com/downloads/

Additional products

such as hand bikes or traction & attachment devices can be found at:
www.proactiv-gmbh.com/downloads/

Services

Consultation, clarification of the installation situation and measurement through PRO ACTIV

A9990000000 € 354.50

Handover and instruction on the wheelchair by PRO ACTIV

A9990000006 € 354.50

Notes and remarks:

Location, Date

The signature field is intended for the consultant and insured person. This confirms that the intended equipment is intended for the insured person.
- 16 - 2026-03-03 / The prices are plus statutory value-added tax and shipping costs = included in the basic price = Position selected

Signature End customer/dealer