



## NJ1 compact bike

with derailleur gear system or freewheel hub  
and disc brake

approved up to 100 kg payload

- girder chassis with reinforcing brace
- drive unit, can be decoupled via the eccentric quick-lock system
- A-shaped handles with integrated shift and brake controls
- Backrest infinitely adjustable in angle
- 6° wheel camber
- hydraulic disc brake system "Magura"
- mechanical disc brake with parking lock
- Safety flag
- Drive unit black

A9100100001 € 5,200.00

**Note:** For smaller body sizes and children, the FREAK compact bike is available (separate order sheet) The FREAK can also be equipped with a 26" front wheel and 20" rear wheel.

**Quotation date:** \_\_\_\_\_

**Consultation was carried out by  
Staff at the medical supplies shop:** \_\_\_\_\_

**Enquiry no.:** \_\_\_\_\_

**Order date:** \_\_\_\_\_

according to GTC PRO ACTIV Reha-Technik GmbH

**Order no.:** \_\_\_\_\_

### Medical suppliers / company address:

**Cust. no.:** \_\_\_\_\_

**Name:** \_\_\_\_\_

**Street:** \_\_\_\_\_

**Postcode / city:** \_\_\_\_\_

**Phone:** \_\_\_\_\_

**Fax:** \_\_\_\_\_

**E-Mail:** \_\_\_\_\_

**Contact:** \_\_\_\_\_

**Different invoicing address (see below)**

**Cust. no.:** \_\_\_\_\_

**Name:** \_\_\_\_\_

**Street:** \_\_\_\_\_

**Postcode / city:** \_\_\_\_\_

**Different shipping address (see below)**

**Cust. no.:** \_\_\_\_\_

**Name:** \_\_\_\_\_

**Street:** \_\_\_\_\_

**Postcode / city:** \_\_\_\_\_

### Customer name / commission:

**ID / Comm. No.:** \_\_\_\_\_

**Surname, forename:** \_\_\_\_\_

**Street:** \_\_\_\_\_

**Postcode / city:** \_\_\_\_\_

**Phone:** \_\_\_\_\_

**E-Mail:** \_\_\_\_\_

**D.o.B.:** \_\_\_\_\_

**Paying organisation:** \_\_\_\_\_

**Indication:** \_\_\_\_\_

### Body size

Body height: \_\_\_\_\_ cm

Weight: \_\_\_\_\_ kg

## Chassis Colour

Information on current colour designs and example images can be found at: <https://www.proactiv-gmbh.com/colours/>

### white RAL 9016

- gloss A9000100170-023  
 matt A9000100170-123 € 43.40

### brilliant silver

- gloss A9000100170-011

### anthracite RAL 7016

- gloss A9000100170-001  
 matt A9000100170-101 € 43.40

### black RAL 9005

- gloss A9000100170-003  
 matt A9000100170-019 € 43.40

### deep black effect silver

- gloss A9000100170-007

### pure orange RAL 2004

- gloss A9000100170-022

### fire red

- gloss A9000100170-018  
 matt A9000100170-118 € 43.40

### pink magenta RAL 4010

- gloss A9000100170-037  
 matt A9000100170-137 € 43.40

### sky blue

- gloss A9000100170-017

### pastel blue RAL 5024

- gloss A9000100170-036  
 matt A9000100170-136 € 43.40

### navy blue

- gloss A9000100170-045  
 matt A9000100170-145 € 43.40

### electric green

- gloss A9000100170-015  
 matt A9000100170-115 € 43.40

### lemon green

- gloss A9000100170-005  
 matt A9000100170-105 € 43.40

### violet

- gloss A9000100170-044

### blasted, transparent powder coated

- gloss A9000100170-029

### yellow RAL 1023

- gloss A9000100170-046  
 matt A9000100170-146 € 43.40

### red RAL 3001

- gloss A9000100170-047  
 matt A9000100170-147 € 43.40

### lagoon blue

- gloss A9000100170-052  
 matt A9000100170-152 € 43.40

### athletic grey RAL 7046

- gloss A9000100170-050  
 matt A9000100170-150 € 43.40

### muddy grey RAL 7033

- gloss A9000100170-051  
 matt A9000100170-151 € 43.40

### peach RAL 3022

- gloss A9000100170-038  
 matt A9000100170-138 € 43.40

## Derailleur gears

### Shimano Deore 1x11 Rapid Fire 11-speed derailleur

- A9110200032  
 mechanical derailleur gear with operation on the handle. 11-speed cassette 11-42 teeth

#### Selection of the chainring:

- 32 teeth  
 38 teeth



### Shimano Deore XT 1x11 Rapid Fire 11-speed derailleur

- A9110200034 € 192.20  
 mechanical derailleur gear with control on the handle. 11-speed cassette 11-42 teeth top chain ring with chain guards

#### Selection of the chainring:

- 32 teeth  
 38 teeth

### Shimano Deore XT 1x11 DI2 with push button operation 11-speed derailleur

- A9110200035 € 1,486.10  
 electronic derailleur gear with operation on the handle. 11-speed cassette 11-42 teeth

Operation: right side  left side

#### Selection of the chainring:

- 32 teeth  
 38 teeth



### Shimano Deore XT 1x11 DI2 with chin control 11-speed derailleur gear system

- A9110200033 € 1,631.10  
 electronic derailleur with chin control (tetra equipment) 11-speed cassette 11-42 teeth

#### Selection of the chainring:

- 32 teeth  
 38 teeth



## Hub gear

### Shimano „Alfine“ 11-speed hub gear

A9100200026 € 592.00

„Rapid Fire“ handle  
Gear ratio: Sprocket 32 teeth,  
Cassette 19 teeth



### Rohloff „Speedhub 500/14“ 14-speed hub gear

A9100200027 € 1,498.10

„Grip Shift“ twist grip shifter  
Gear ratio: Sprocket 32 teeth,  
Cassette 16 teeth



## Gearshift accessories

### Mountaindrive 2,5 : 1 Hill reduction in combination with hub gear

A9100200003 € 797.40

Planetary gearbox for doubling the gears.  
Allows you to shift downhill while standing still.  
As standard with 38 teeth chainring.  
In combination with grip width 40 cm, 45 cm,  
48 cm or 53 cm



## Brake system

### Powerful braking system with brake disc Ø 203 mm

A9110300105 € 83.10

recommended from 80 kg body weight.



### Double disc brake system „Magura“ brake disc Ø 203 mm

A9100300100 € 233.30

eliminates the mechanical disk brake.  
Only in combination with the powerful braking  
system.  
recommended from 100 kg body weight.

## Dimensions

### Crank type and grip width

#### Bottom bracket shaft with standard crank

- grip width 40 cm  
A9110500100-040
- grip width 45 cm  
A9110500100-045
- grip width 50 cm  
A9110500100-050

#### Bottom bracket shaft with tetra crank (flared)

with extended crank arms for maximum upper body space

- grip width 48 cm (176 mm)  
A9110500100-048
- grip width 53 cm (226 mm)  
A9110500100-053
- grip width 58 cm (276 mm)  
A9110500100-058

#### Standard pedal crank

- length 155 mm  
A9110600100-155
- length 175 mm  
A9110600100-175
- length 195 mm  
A9110600100-195



#### Tetra pedal crank


- length 155 mm  
A9100600105-155      € 136.10
- length 175 mm  
A9100600105-175      € 136.10
- individual length  
195 mm to 140 mm      € 258.70  
A9100600100



#### Fixed bottom bracket support

(Limited availability – only as long as stocks last. Alternative: Adjustable bottom bracket support)

- S (X/Y 67/153)  
A9100501100-003
- M (X/Y 90/250)  
A9100501100-001



#### Adjustable bottom bracket support

the angle and length can be adjusted via the clamped rotary point on the fork bridge and length.

For the pre-setting, please specify the bottom bracket support size that comes as close to your desired position.

- S (180 mm)  
A9100500001-002      € 232.10
- M (240 mm)  
A9100500001-003      € 232,10

If not specified, the adjustable bottom bracket support will be delivered in S.



## Legrest

#### Divided legrest

- A9100100008  
adaptation on the fork  
for short legs  
Only possible up to body size 165 cm



#### All-round legrest

- A9100100009  
adaptation on the fork



#### Foot stop for legrest

- A9100100012      € 91.20



## Upper thigh fixation

A9100100013 € 215.10



## Back equipment

### Backrest with filling plate and back cushion

A9100800002  
Cover: Black, breathable, open surface

### Backrest upholstery Body Contour

A9100800010 € 92.40  
with back cushion 3 cm  
Cover: Black, breathable, open surface



## Chassis

### Chassis geometry


length 116 cm  
SB approx. 39 cm  
A9100100000-002

length 116 cm  
SB approx. 43 cm  
A9100100000-003 € 204.60

Heavy Duty version  
up to 120 kg body  
weight  
A9100800013  
(Recommended for off-  
road use)

Required in addition to  
A9100100000\*.

€ 425.60



## Seat upholstery

### Seat upholstery open belt system

Chassis: 116 cm  
SB 39 cm, ST 40 cm

A9100801010-002

Chassis: 116 cm  
SB 43 cm, ST 40 cm

A9100801010-003



### Seat upholstery Body Contour

breathable, spring effect

Chassis: 116 cm  
SB 39 cm, ST 40 cm

A9100801025-002

Chassis: 116 cm  
SB 43 cm, ST 40 cm

A9100801025-003



## Seat cushion

### Seat cushion standard

Cover: Black, breathable, open surface  
Seat cushion height: 4 cm

Chassis: 116 cm  
SB 39 cm, ST 40 cm

A9100000190-002 € 115.00

Chassis: 116 cm  
SB 43 cm, ST 40 cm

A9100000190-003 € 115.00



### Seat cushion with upper thigh guide

Cover: Black, breathable, open surface  
Seat cushion height: 4 cm  
Only in combination with upper thigh fixation

Chassis: 116 cm  
SB 39 cm, ST 40 cm

A9100800103-002 € 207.50

Chassis: 116 cm  
SB 43 cm, ST 40 cm

A9100800103-003 € 207.50



## Wheels

### 26x1" wheels with double wall rim

A9100104260  
(ETRTO 559)  
front and rear wheels with 36 spokes

### 26x1" wheels with double wall rim

A9100104262      € 298.00  
(ETRTO 559)  
extra light version: rim weight 395 g,  
front wheel with 32 spokes  
rear wheels with 18 spokes  
(weight saving on the bike approx. 600 g)

## Tyres

### 26x1" Schwalbe „One“

A9100105160  
(ETRTO 559-25)  
V-Guard WheelStar



### 26x2" Schwalbe „Marathon Plus Tour“

A9100105140      € 71.10  
(ETRTO 559-50)  
touring tyre



## Accessories Bike

### Plug-in mudguard

A9100502100      € 58.10



### Leg protection guard

A9100100231      € 171.00  
protection for MTB tires  
bolted to the fork leg  
Colour: black matt

### Rear guard clamped on the axle tube

A9100800100      € 218.10  
with 40 mm mounting clamp  
Colour: black



### Neck rest

A9100800150      € 261.00  
height-adjustable, angle-adjustable



### Pelvic fixation belt

A9100800200      € 121.70



### SIGMA BC 8.0 ATS bike computer

A9110901000      € 70.10  
wireless, with mount



### SIGMA BC 14.0 WL CAD bike computer

A9110900018      € 171.50  
with pedal frequency set, wireless



### Bracket Ø 22 mm x 42 mm for mounting accessories (tacho, lighting, etc.)

A9110903271      pcs. á € 23.20  
Colour: Natural anodised

\_\_\_\_\_ piece



### SIGMA lighting set

A9120900019      € 123.90  
consisting of front light and rear lights,  
chargeable via Micro USB socket,  
incl. Micro USB charging cable.  
Lighting set compliant with road traffic  
regulations



## Options for users with reduced functions

### Palm rest on the handle

A9110601200 € 102.80  
upholstered, bolted, angle-adjustable.



### Tetra hand support, pivotable, adjustable grip distance

A9110601101 € 169.40



### Tetra backrest swivel and adjustable grip width

A9110601102 € 191.60

very stiff external support as round tube  
Ø 20 mm with foam rubber coating  
Not in combination with Tetra hand support  
pivotable



### Tetra shell handles

A9110601100 € 172.40



## Services

### Consultation, clarification of the installation situation and measurement through PRO ACTIV

A9990000000 € 354.50

### Handover and instruction of the handbike / traction device by PRO ACTIV

A9990000011 € 354.50

Notes and remarks:

### Location, Date

The signature field is intended for the consultant and insured person. This confirms that the intended equipment is intended for the insured person.

### Signature End customer/dealer

- 7 - 2026-03-03 / The prices are plus statutory value-added tax and shipping costs

= included in the basic price  = Position selected