

Im Hofstätt 11
 D- 72359 Dotternhausen
 Tel +49 (0)7427 9480-0
 Fax +49 (0)7427 9480-7025
 e-mail info@proactiv-gmbh.de
 www.proactiv-gmbh.de



LIFT activ with mechanical seat height adjustment

- Manual seat height adjustment by 30 cm supported by individually adjusted lifting springs
- Lifting function triggered via ergonomic handle
- Rigid frame chassis firmly welded together
- Seat unit in rigid frame construction bolted to chassis
- Total weight starting at 14,5 kg

Maximum user weight limit 100 kg

A9065100000 € 8,240.00

Quotation date: _____
Consultation was carried out by
Staff at the medical supplies shop: _____

Enquiry no.: _____

Order date: _____
 according to GTC PRO ACTIV Reha-Technik GmbH

Order no.: _____

Medical suppliers / company address:

Cust. no.: _____
 Name: _____
 Street: _____
 Postcode / city: _____
 Phone: _____
 Fax: _____
 E-Mail: _____
 Contact: _____

Shipping address: same as company address
 Other (see below)

Name: _____
 Street: _____
 Postcode / city: _____

Customer name / commission:


ID / Comm. No.: _____
 Surname, forename: _____
 Street: _____
 Postcode / city: _____
 Phone: _____
 Fax: _____
 E-Mail: _____
 D.o.B.: _____
 Paying organisation: _____

Invoicing address: same as company address
 Other (see below)

Cust. no.: _____
 Name: _____
 Street: _____
 Postcode / city: _____
 Phone: _____
 Fax: _____
 E-Mail: _____
 Contact: _____

Basic size

Body size:



Body height: _____ cm


Weight: _____ kg

Lower leg length: _____ cm
(anatomic dimension: hollow of the knee to the foot sole)

Indication: _____

This information is necessary for checking. If the information is missing, a check of the relevant items cannot be made!

Wheelchair dimensions:



Seat width **SB**

<input type="checkbox"/> 35	<input type="checkbox"/> 36	<input type="checkbox"/> 37	<input type="checkbox"/> 38	<input type="checkbox"/> 39	<input type="checkbox"/> 40
<input type="checkbox"/> 41	<input type="checkbox"/> 42	<input type="checkbox"/> 43	<input type="checkbox"/> 44	<input type="checkbox"/> 45	<input type="checkbox"/> 46

Seat depth **ST**

Short frame (43 cm)				
<input type="checkbox"/> 35	<input type="checkbox"/> 36	<input type="checkbox"/> 37	<input type="checkbox"/> 38	<input type="checkbox"/> 39
<input type="checkbox"/> 40	<input type="checkbox"/> 41	<input type="checkbox"/> 42	<input type="checkbox"/> 43	<input type="checkbox"/> 44

Long frame (47 cm)				
<input type="checkbox"/> 39	<input type="checkbox"/> 40	<input type="checkbox"/> 41	<input type="checkbox"/> 42	<input type="checkbox"/> 43
<input type="checkbox"/> 44	<input type="checkbox"/> 45	<input type="checkbox"/> 46	<input type="checkbox"/> 47	<input type="checkbox"/> 48

Back height **RH**

<input type="checkbox"/> 20	<input type="checkbox"/> 21	<input type="checkbox"/> 22	<input type="checkbox"/> 23	<input type="checkbox"/> 24	<input type="checkbox"/> 25	<input type="checkbox"/> 26	<input type="checkbox"/> 27	<input type="checkbox"/> 28	<input type="checkbox"/> 29	<input type="checkbox"/> 30
<input type="checkbox"/> 31	<input type="checkbox"/> 32	<input type="checkbox"/> 33	<input type="checkbox"/> 34	<input type="checkbox"/> 35	<input type="checkbox"/> 36	<input type="checkbox"/> 37	<input type="checkbox"/> 38	<input type="checkbox"/> 39	<input type="checkbox"/> 40	<input type="checkbox"/> 41
<input type="checkbox"/> 42	<input type="checkbox"/> 43	<input type="checkbox"/> 44	<input type="checkbox"/> 45	<input type="checkbox"/> 46	<input type="checkbox"/> 47	<input type="checkbox"/> 48				

Lower leg length **USL**

<input type="checkbox"/> 30	<input type="checkbox"/> 31	<input type="checkbox"/> 32	<input type="checkbox"/> 33	<input type="checkbox"/> 34	<input type="checkbox"/> 35	<input type="checkbox"/> 36	<input type="checkbox"/> 37	<input type="checkbox"/> 38	<input type="checkbox"/> 39
<input type="checkbox"/> 40	<input type="checkbox"/> 41	<input type="checkbox"/> 42	<input type="checkbox"/> 43	<input type="checkbox"/> 44	<input type="checkbox"/> 45	<input type="checkbox"/> 46	<input type="checkbox"/> 47	<input type="checkbox"/> 48	

Seat height back **SHh**
(with 24" drive wheels)

<input type="checkbox"/> 41

possible on request:

<input type="checkbox"/> 42	<input type="checkbox"/> 43
-----------------------------	-----------------------------

Seat height front **SHv**
(with 5" caster wheels)

<input type="checkbox"/> 47	<input type="checkbox"/> 48	<input type="checkbox"/> 49	<input type="checkbox"/> 50	<input type="checkbox"/> 51
-----------------------------	-----------------------------	-----------------------------	-----------------------------	-----------------------------

possible on request:

<input type="checkbox"/> 45	<input type="checkbox"/> 46
-----------------------------	-----------------------------

Note regarding seat heights:

Please note that the seat height specifications should be taken when the seat is under load.

Tipping point **KP**

(inner edge of rear tube to centre of drive wheel axle)

<input type="checkbox"/> 6	<input type="checkbox"/> 7	<input checked="" type="checkbox"/> 8	<input type="checkbox"/> 9	<input type="checkbox"/> 10
----------------------------	----------------------------	---------------------------------------	----------------------------	-----------------------------

Please tick the required dimensions (all dimensions are in cm)

The underlined values are the standard settings. If not specified, the standard value will be delivered.

The SHh and SHv values might be a bit different from the specified values, depending on the wheel size and camber.

We recommend a seat height difference (difference between SHv and SHh) between 5 cm and 12 cm.

Frame colour - One-colour design

Information on current colour designs and example images can be found at: <https://www.proactiv-gmbh.com/colours/>

Frame colour: Selection from colour palette

Frame colour will be specified in the order

A9000100170-000

Raw, blasted, not coated

A9000100170-020

Note: In combination with moisture e.g. hand perspiration, can affect dark aluminum discoloration.

Powder colours

white RAL 9016

gloss A9000100170-023

matt A9000100170-123 € 43.40

brilliant silver

gloss A9000100170-011

anthracite RAL 7016

gloss A9000100170-001

matt A9000100170-101 € 43.40

black RAL 9005

gloss A9000100170-003

matt A9000100170-019 € 43.40

pure orange RAL 2004

gloss A9000100170-022

matt A9000100170-122 € 43.40

pink magenta RAL 4010

gloss A9000100170-037

matt A9000100170-137 € 43.40

pastel blue RAL 5024

gloss A9000100170-036

matt A9000100170-136 € 43.40

lemon green

gloss A9000100170-005

matt A9000100170-105 € 43.40

yellow RAL 1023

gloss A9000100170-046

matt A9000100170-146 € 43.40

red RAL 3001

gloss A9000100170-047

matt A9000100170-147 € 43.40

lagoon blue

gloss A9000100170-052

matt A9000100170-152 € 43.40

athletic grey RAL 7046

gloss A9000100170-050

matt A9000100170-150 € 43.40

muddy grey RAL 7033

gloss A9000100170-051

matt A9000100170-151 € 43.40

peach RAL 3022

gloss A9000100170-038

matt A9000100170-138 € 43.40

Powder colours „dormant“

deep black effect silver

gloss A9000100170-007

sky blue

gloss A9000100170-017

navy blue

gloss A9000100170-045

matt A9000100170-145 € 43.40

electric green

gloss A9000100170-015

matt A9000100170-115 € 43.40

violet

gloss A9000100170-044

fire red

gloss A9000100170-018

matt A9000100170-118 € 43.40

Frame colour - One-colour design special colours „liquid coating“

€ 349.60

storm (ice blue)

gloss A9000100170-500

matt A9000100170-501

prairie (rose gold)

gloss A9000100170-504

matt A9000100170-505

berry

gloss A9000100170-526

matt A9000100170-527

blue ocean

gloss A9000100170-522

matt A9000100170-523

emerald

gloss A9000100170-514

matt A9000100170-515

chili

gloss A9000100170-516

matt A9000100170-517

Frame colour - Two-colour design

Note: In the two-colour design, both colours are the same gloss level as the design colour.

Two-colour design with one base colour (on the rear frame) and one design colour (on the front frame)

€ 268.50

Please select a colour below:

Base colour (on the rear frame)

white RAL 9016

A9000100170-200

brilliant silver

A9000100170-201

anthracite RAL 7016

A9000100170-202

black RAL 9005

A9000100170-203

pastel blue RAL 5024

A9000100170-206

lemon green

A9000100170-207

yellow RAL 1023

A9000100170-208

lagoon blue

A9000100170-212

athletic grey RAL 7046

A9000100170-210

muddy grey RAL 7033

A9000100170-211

Design colour (on the front frame)

black RAL 9005

gloss A9000100170-259

matt A9000100170-260

lemon green

gloss A9000100170-250

matt A9000100170-251

chili

gloss A9000100170-253

matt A9000100170-254

pure orange RAL 2004

gloss A9000100170-255

matt A9000100170-256

emerald

gloss A9000100170-274

matt A9000100170-275

storm (ice blue)

gloss A9000100170-264

matt A9000100170-265

prairie (rose gold)

gloss A9000100170-266

matt A9000100170-267

berry

gloss A9000100170-284

matt A9000100170-285

blue ocean

gloss A9000100170-280

matt A9000100170-281

Colour - Attachment parts

Note: The attachments are always mounted in black.

Drive wheel: aluminum rim, hub and spokes

Black A9000100171-003

Caster fork and bearing block

Black A9000100173-003

Colour design of attachment parts according to customer request:

Drive wheel: aluminum rim and design inlet¹ according to colour selection / hub and spokes black

frame colour A9000100171-999 € 249.60

Selection from one-colour design (different from the frame colour) A9000100171-998 € 288.90

Colour: _____

A9000100170-

Caster wheel: 5" aluminum rim² (6-spoke design)

frame colour A9000100174-999 € 75.20

Selection from one-colour design (different from the frame colour) A9000100174-998 € 87.10

Colour: _____

A9000100170-

Special colour request (Frame colour - One-colour design)

Frame colour for single purchasing Selection from RAL colour palette

A9000100170-100 € 414.40

gloss level

gloss

matt

colour designation

RAL number

Note: Attachments **not** available in design colour options

¹ Only in combination with Liteline hub

² Only in combination with caster wheel 5" aluminum rim 6-spoke-design good shock absorption A900050121*, as well as with suspension fork 5-spoke-design A9000500160*

Frame

Note: Footrest area with V-shape $x = SB - (0.25 \times USL + 6 \text{ cm})$

Straight front end

A9065100010
Knee angle 100°
only with a long frame


A9065100011
Knee angle 105°



Front end V-shape

A9065100020
Knee angle 100°
from SB 40 cm only in combination with a long frame

A9065100021
Knee angle 105°



Back tubes & push handles

Equipment without push handles

A9000401000



Back tube with integrated handles

A9000401051-K € 130.40
straight.



Aluminium push handles fixed in back tube

A9000401050* € 130.40
from RH 23 cm
from RH 42 cm with lumbar joint



Horizontal push handles screwed into the back tube

A9000401076 € 130.40
can be unscrewed
from RH 37 cm with lumbar joint



Safety push handles with continuous height adjustment

A9000401060* € 216.40
mount in the back tube
from RH 30 cm with adaptable back
from RH 35 cm with lordosis support
from RH 42 cm with lumbar joint
from RH 43 cm with ergonomic backshell



Safety push handles back-positioned length 45 cm

A9000401075* € 372.90
continuous height adjustment,
Safety push handle holder mounted on the
back cross bar



Additional option

Back tube with lordosis support

A9000400005-K € 114.40

- 1 cm
- 2 cm
- 3 cm



Back tube with lordosis joint

A9065401020-K € 422.90

Backrest can additionally be folded down at the
height of the lordosis support
from RH 35 cm

- 1 cm
- 2 cm
- 3 cm



Backrest

Folding backrest

A9065400011

7-way angle adjustable,
with integrated plastic-coated aluminum side
parts

Note: The backrest can only be completely
folded down from SB 41 cm. Up to SB 40 cm,
we therefore recommend the additional option
„back tube with lordosis joint“.




Back equipment

If not specified, the „Adaptable back with back padding“ will be delivered.

Adaptable back with back padding

A9000802010-K001

Cover: Black, breathable, open surface
Equipment with back cross bar



Adaptable back with back padding „light“

A9000802320-K001

Cover: Black, breathable, open surface
Cushion thickness: 9 mm
Equipment with back cross bar

A9000802320-K002

Cover: Black, breathable, open surface
Cushion thickness: 9 mm
Equipment without back cross bar



Adaptable back with back padding „Comfort“

A9000815101-K

€ 131.40

Cover: Black, breathable, open surface
Front padding: 20 mm
Rear padding: 5 mm
Equipment with back cross bar

Back rise + 3 - 5 cm

A9000802100 € 159.10

for the nominal back height dimension
Only in combination with height-adjustable
push handles



Equipment without back upholstery and back padding or back system

A9000802011 € - 53.00


Equipment with back cross bar

Seat upholstery

If not specified, the „Body Contour“ seat upholstery will be delivered.


Body Contour

A9000801025-K



Open belt system

A9000801010-K € 79.90





Equipment without seat upholstery

A9000801050



Seat cushion



Seat cushion in rectangular contour Inlet: Standard

A9000805180-K* € 118.30

Seat cushion with radius contour Inlet: Standard

A9000800300-K* € 163.10

Seat cushion height:

3 cm 5 cm

4 cm 6 cm

Seat cushion in rectangular contour Inlet: Anti-Decubitus

up to 30x30 cm
A9000805204-K* € 301.70

>30x30 up to 50x50 cm
A9000805200-K* € 437.70

Seat cushion with radius contour Inlet: Anti-Decubitus

up to 30x30 cm
A9000800311-K* € 356.10

>30x30 up to 50x50 cm
A9000800310-K* € 482.90

Seat cushion height:

4 cm 6 cm

Cover:

Black, breathable, open surface

Black, breathable, closed surface

If not specified, the cover material „Black, breathable, open surface“ will be delivered.

Seat cushion is provided

Lift mechanism

Mechanical seat height adjustment of 30 cm

via gas springs up to approx. 100 kg

Release on the right
A9065300401-K*

Release on the left € 110.70
A9065300402-K*

Note: The release mechanism is only possible on the right **OR** left.

If no specification is made, the „release on the right“ will be delivered.

Clothing guard

If not specified, the „aluminum clothing guard in anthracite matt“ will be delivered.

Clothing guard Aluminium

rigidly attached to the armrest cover following the wheel track



in anthracite matt

A9065403210-K*

in frame colour (base colour for two-colour design)

A9065403211-K* € 80.10

in design colour (only possible with frame colour in two-colour design)

A9065403212-K* € 120.40

Clothing guard Carbon

rigidly attached to the armrest cover following the wheel track

A9065403213-K* € 547.30

Wheel camber

*Total width with tight-mounted handrim.

1° drive wheel camber

A9065202010-K
Total width = approx. SB + 21 cm*
from SB 38 cm

2,5° drive wheel camber

A9065202020-K
Total width = approx. SB + 23,5 cm*
from SB 36 cm

4° drive wheel camber

A9065202030-K
Total width = approx. SB + 26 cm*

E-Adaptations

Preparation for the „e-motion" mounting

A9065201200-K € 502.90

Equipment: e-motion torque arm, 1/2" axle and socket length 50.8 mm (2")
4° drive wheel camber only up to 60 kg
Not allowed in combination with „e-motion DuoDrive“.

Brake system

If not specified, the „Brake system push to lock with standard brake handle" will be delivered.

Recommendation: For KP 7 cm or lower, we recommend the „Brake system push to lock with brake handle 20° outwards“.

Knee lever brake with standard brake lever

A9000701010-001



Knee lever brake with long brake lever

A9000701010-002



Knee lever brake system Brake lever angled 20°

standard brake handle A9000700002

long brake handle A9000701010-004



Integral parking brake

A9065702020 € 248.50



Footrest

If not specified, the „continuous footrest" will be delivered.

Continuous footrest

A9016601010-K*
with tubular resting bracket
height adjustable +/- 3 cm
If you want to equip the footrest with a „rubber coated footplate" please select this under „Footrest accessories".



Footrest folds up to the rear with spring locking mechanism

A9016602005-K* € 287.40

with tubular resting bracket
from USL 40 cm
only with V-shape and long frame
If you want to equip the footrest with a „rubber coated footplate" please select this under „Footrest accessories".



Footrest folds up to the rear

A9016602010-K* € 307.90

with tubular resting bracket and 20 mm operating lever
from USL 42 cm
V-shape from SB 38 cm
If you want to equip the footrest with a „rubber coated footplate" please select this under „Footrest accessories".



Divided footrest

A9016603200-K € 336.80

with rubber coated footplate,
height adjustable +/- 3 cm, angle adjustment,
can be pivoted outwards and folded up to the side
Including frame reinforcement
V-shape from SB 40 cm



Removable front frame, foldable with divided footrest

A9065630000-K € 845.70

height-adjustable, with rubber plate
Knee angle 105°
Only with straight front end
with short frame only with integral brake



Footrest accessories

Rubber coated footplate

A9000610000-K € 125.90
bolted, angle-adjustable
Depth: 14 cm



Footplate side stop

A9000610100 € 59.70
adjustable
only in combination with rubber coated
footplate



Adaptations

Anti-tipping support, pivotable upwards

A9065300100
adjustable with Quickpin



4" caster wheel

4" caster wheel „Standard“ solid rubber black

A9000501011-004
(82A), puncture-proof



4" skate wheel (100 mm)

A9000501120 € 70.80
puncture-proof



4" safety light-up wheel (100 mm)

A9000501220 € 94.80
puncture-proof



4" CorMORun caster wheel (100 mm)

A9000501042 € 173.00
with replaceable rubber 6 mm,
puncture-proof
Rim colour: Black
Incl. hair guard spacer (5.3 mm)



4" Frog Legs caster wheel (100 mm)

A9000501230 € 206.30
with replaceable rubber 6 mm,
puncture-proof
Colour: black, silver rim
Incl. hair guard spacer (5.3 mm)



5" caster wheel

5" caster wheel „Standard“ PU black

A9000501036-005
(82A), puncture-proof



5" caster wheel „Standard“ PU grey

A9000501031-005
(82A), puncture-proof



5" safety light-up wheel (125 mm)

A9000501221 € 94.80
puncture-proof



<p>5" aluminum rim 3-spoke design „good shock absorption”</p> <p><input type="checkbox"/> silver anodised A9000501210 € 179.80</p> <p><input type="checkbox"/> black A9000501211 € 179.80</p> <p>with replaceable rubber 6 mm medium hard, puncture-proof Incl. hair guard spacer (3 mm)</p> 	<p>5" CorMORun caster wheel (125 mm)</p> <p><input type="checkbox"/> A9000501041 € 181.30</p> <p>with replaceable rubber 6 mm, puncture-proof Rim colour: Black Incl. hair guard spacer (5.3 mm)</p> 	<p>5" Frog Legs caster wheel (125 mm)</p> <p><input type="checkbox"/> A9000501232 € 206.30</p> <p>with replaceable rubber 6 mm, puncture-proof Colour: black, silver rim Incl. hair guard spacer (5.3 mm)</p> 
--	--	---

6" castor wheels available on request after checking, only with V-shape front end.

Caster fork

For caster fork colours, see „Colour of add-on parts”
If not specified, the „Standard caster fork with screw axle” will be delivered.

Caster fork Standard

- A9000500100-K001 with screwed axle
- A9000500100-K002 **€ 167.40** with quick-release axle



Caster fork Heavy Duty for high loads

Extra weight approx. 100 - 150 gr.

- A9000510111-K001 **€ 54.00** with screwed axle
- A9000510111-K002 **€ 218.90** with quick-release axle



Caster fork spare wheel „Standard“

- A9000500300-K **€ 296.70**
- Caster fork Standard with quick-release axles



Caster fork spare wheel „Heavy Duty“

- A9000500301-K **€ 337.90**
- Caster fork Heavy Duty with quick-release axles



The spare caster fork does not have a caster wheel.
In case a caster wheel is requested, please put a cross on a second selection in the category „Caster wheels”.

Drive wheels

If not specified, the „drive wheel aluminum rim 36 spokes“ will be delivered.

Drive wheel 18 spoke aluminum rim

- 24" (ETRTO 540)
A9000203122

with Liteline hub, radially spoked
Not in combination with puncture-proof tires
up to 70 kg body weight:

Sturz	1°	4°	6°	8°	10°
Gewicht bis 50 Kg	✓	✓	✓	✓	✓
51 - 60 Kg	✓	✓	✓	✓	
61 - 70 Kg	✓	✓			



Drive wheel 36 spoke aluminum rim

- 24" (ETRTO 540)
A9000203000-010
with Liteline hub (left image),
radially spoked

- 24" (ETRTO 540)
A9000203000-020
with aluminum front hub (right image),
radially spoked



Drive wheel double rim 36-spokes

- 24" (ETRTO 540)
A9000203100 € 157.80

- 25" (ETRTO 559)
A9000203200 € 157.80

- 26" (ETRTO 590)
A9000203300 € 157.80

with aluminum front hub,
radially spoked
For use with high loads



Spinergy wheel „Spox Sport“ with 24 PBO spokes; rim, hub and spokes in black

- 24" (ETRTO 540) € 784.10
A9000203550

- 25" (ETRTO 559) € 784.10
A9000201559

- 26" (ETRTO 590) € 784.10
A9000203555



Spinergy „Everyday Light Extreme“ with 12 PBO spokes; rim and hub in black, spokes in white

- 24" (ETRTO 540) € 957.20
A9000203554

Recommendation: For heavy loads
(e.g. higher body weight), we recommend the
Spinergy „Spox Sport“ wheel with 24 PBO
spokes.



Spinergy „Everyday Light Extreme“ with 12 PBO spokes; rim, hub and spokes in black


- 24" (ETRTO 540) € 957.20
A9000203552

Recommendation: For heavy loads
(e.g. higher body weight), we recommend the
Spinergy „Spox Sport“ wheel with 24 PBO
spokes.



Handrims

x = dimension handrim attachment



Handrim attachment
general:

- x = 11 mm
- x = 19 mm

Handrim attachment
Curve + Gekko handrim:

- x = 10 mm
- x = 18 mm

If not specified, the handrim is mounted wide (19 mm / 18 mm).

Stainless steel Ø 20 mm

- 24" handrim for 24" wheel and 25" wheel A9000205010-004
- 26" handrim for 26" wheel A9000205010-006



Aluminum Ø 19 mm silver anodised

- 24" handrim for 24" wheel and 25" wheel A9000205019-004



Aluminum Ø 19 mm powder coated in frame colour

(basic colour with two-colour design)

- = Gloss surface
- = Matt surface

Note: Matt coating is not recommended due to the low grip.

- 24" handrim for 24" wheel and 25" wheel A9000205020-004 € 68.30
- 26" handrim for 26" wheel A9000205020-006 € 68.30



Aluminum Ø 19 mm polished and hard-anodised

- 24" handrim for 24" wheel and 25" wheel A9000205030-004 € 164.90
- 26" handrim for 26" wheel A9000205030-006 € 164.90



Titanium Ø 19 mm

- 24" handrim for 24" wheel and 25" wheel A9000205040-004 € 335.60
- 26" handrim for 26" wheel A9000205040-006 € 335.60



Silicone handrim cover

- for handrim 24" A9000205100-004 € 232.80
 - for handrim 26" A9000205100-006 € 232.80
- Surface without structure, compatible with handrim Ø 19 mm or Ø 20 mm.



Ultra-Grip „very grippy“

- 24" handrim for 24" wheel and 25" wheel A9000205070-004 € 402.40
- 26" handrim for 26" wheel A9000205070-006 € 402.40



Ergo-Grip

- 24" handrim for 24" wheel and 25" wheel A9000205080-004 € 402.40
 - 26" handrim for 26" wheel A9000205080-006 € 402.40
- Attachment fitting to the rim

Note: Due to the complex geometry, concentricity deviations of +/- 2-3 mm are possible.



Curve black anodised, ergonomic handrim profile

- 24" handrim for 24" wheel and 25" wheel Profile height 24 mm A9000205130-004 € 402.40
- 24" handrim for 24" wheel and 25" wheel Profile height 31 mm Size L A9000205140-004 € 402.40
- 26" handrim for 26" wheel Profile height 31 mm Size L A9000205140-006 € 402.40



<p>Curve silver anodised ergonomic handrim profile</p> <p><input type="checkbox"/> 24" handrim for 24" wheel and 25" wheel Profile height 31 mm € 402.40 Size L A9000205160-004</p> 	<p>Curve powder-coated, ergonomic handrim profile</p> <p><input type="checkbox"/> = frame colour (gloss surface) <input type="checkbox"/> = black (gloss surface)</p> <p><input type="checkbox"/> 24" handrim for 24" wheel and 25" wheel Profile height 24 mm € 467.60 A9000205135-004</p> <p><input type="checkbox"/> 24" handrim for 24" wheel and 25" wheel Profile height 31 mm € 467.60 Size L A9000205145-004</p> <p><input type="checkbox"/> 26" handrim for 26" wheel Profile height 31 mm € 467.60 Size L A9000205145-006</p> 	<p>Curve Grip, with Tetra-Grip coating, ergonomic handrim profile</p> <p><input type="checkbox"/> 24" handrim for 24" wheel and 25" wheel Profile height 31 mm € 520.70 Size L A9000205150-004</p> 
<p>Quadro with Tetra-Grip coating</p> <p><input type="checkbox"/> 24" handrim for 24" wheel and 25" wheel € 520.70 A9000205170-004</p> <p><input type="checkbox"/> 25" handrim for 25" wheel € 520.70 A9000205170-005</p> <p><input type="checkbox"/> 26" handrim for 26" wheel € 520.70 A9000205170-006</p> 	<p>Gekko black anodised</p> <p><input type="checkbox"/> 24" handrim for 24" wheel and 25" wheel € 520.70 A9000205175-004</p> <p><input type="checkbox"/> 25" handrim for 25" wheel € 520.70 A9000205175-005</p> <p><input type="checkbox"/> 26" handrim for 26" wheel € 520.70 A9000205175-006 with a robust and replaceable silicone lip, fully integrated into the profile Profile height 31 mm</p> 	<p>Gekko silver anodised</p> <p><input type="checkbox"/> 24" handrim for 24" wheel and 25" wheel € 520.70 A9000205185-004 with a robust and replaceable silicone lip, fully integrated into the profile Profile height 31 mm</p> 
<p>Gekko S black anodised</p> <p><input type="checkbox"/> 24" handrim for 24" wheel and 25" wheel € 520.70 A9000205195-004 with a robust and replaceable silicone lip, fully integrated into the profile Profile height 24 mm</p> 	<p>Equipment without handrims</p> <p><input checked="" type="checkbox"/> A9000205990</p>	

Spoke guard

Finger- and spoke guard „transparent“

for 24" wheel
A9000206300-004 € 207.10

for 26" wheel
A9000206300-006 € 207.10

Not in combination with Spinergy drive wheels.



Tyres

If not specified, the „Schwalbe RightRun in black“ tyres will be delivered.

Schwalbe „RightRun“ High-pressure tyres

24x1" (540-25)
A9000204001-004

Colour: Black
7.5 bar



Schwalbe „RightRun“ High-pressure tyres

24x1" (540-25)
A9000204000-004

25x1" (559-25)
A9000204000-005

26x1" (590-25)
A9000204000-006

Colour: Grey, black wall
7.5 bar



Schwalbe „DownTown“ Profiled tyres

24x1" (540-25)
A9000204010-004

7.5 bar



Schwalbe „Marathon Plus Evolution“ with „smart guard“ puncture protection

24x1" (540-25)
A9000204030-014 € 49.20

25x1" (559-25)
A9000204030-015 € 49.20

26x1" (590-25)
A9000204030-016 € 49.20

Colour: Black
10 bar



Schwalbe „Marathon Plus“ with „smart guard“ puncture protection

24x1" (540-25)
A9000204030-004 € 49.20

Colour: Grey, black wall
10 bar



Schwalbe „One“

24x1" (540-25)
A9000204123-004 € 93.00

Colour: Black
9 bar



Puncture-proof „solid rubber tyres“

24x1" (540-25)
A9000204201-004 € 122.70

Colour: Black
not in combination with Spinergy drive wheels.




Accessories

Through axle with assistance, Large push button

A9000200096 € 105.80

Interlock dimension: 122 / 110 mm
Axle diameter: 12 mm



Hand air compressor with pressure gauge

A9000901100 € 106.30

up to 14 bar



Crutch holder with flexible nylon cup

A9065900000* € 137.40



Length-adjustable safety belt with buckle

A9000902100 € 80.60



Adjustable safety belt with hook and fastener

A9000902110 € 64.50



SIGMA lighting set

A9000903270 € 107.90

Consisting of front light and rear lights,
chargeable via Micro USB socket,
incl. Micro USB charging cable
Lighting set compliant with road traffic
regulations



Transport bag for drive wheels

for 24" wheel
A9000903530-004 € 77.80
Ø 76 cm x 2 cm

for 26" wheel
A9000903530-006 € 77.80
Ø 83 cm x 2 cm



Stand-up aid handles via locking pin

A9060403200 € 470.30

removable, height-adjustable
mounted on the seat tube
depending on the seat width, a collision with
the frame and/or brakes is possible and may
restrict height adjustability.

Separate order sheets

Category „Rehabilitation technology accessories“

e.g. Seat & backrest systems
can be found at:

www.proactiv-gmbh.com/downloads/

Services

Consultation, clarification of the installation situation and measurement through PRO ACTIV

A9990000000 € 354.50

Handover and instruction on the wheelchair by PRO ACTIV

A9990000006 € 354.50

Notes and remarks:

Location, Date

Signature End customer/dealer

The signature field is intended for the consultant and insured person. This confirms that the intended equipment is intended for the insured person.

- 16 - 2026-03-03 / The prices are plus statutory value-added tax and shipping costs = included in the basic price = Position selected

Order sheet LIFT activ Rev. 02 UK